Listing of Claims:

- 1. (Previously presented) An improved pharmaceutical container for containing a pharmaceutical agent which is heated, subjected to increased pressure or radioactive, comprising:
 - a. an inlet arm,
 - b. an inlet arm support,
 - c. a hollow column,
 - d. an outlet arm, and
 - e. an outlet arm support,

wherein the outlet arm does not protrude into the hollow portion of the column and a notch is provided in the hollow column at the point where the outlet arm intersects the hollow column.

- 2. (Original) The improved pharmaceutical container of claim 1, wherein the container is constructed of a material which is resistant to radiation.
- 3. (Original) The improved pharmaceutical container of claim 1 or 2, wherein the container is constructed of a radiation resistant polypropylene.
- 4. (Original) The improved pharmaceutical container of claim 1 or 2, wherein the container is constructed of PP 13R9A polypropylene.

5. Canceled

6. (Original) The improved pharmaceutical container of claim 1 or 2, further comprising a basket receptacle area inside the column for receiving a basket where the inlet arm intersects the column, said basket receptacle area further comprising one or more notches, said notches configured to cooperate with one or more protrusions on a basket to be inserted into the basket receptacle area in such a way so as to insure that the basket is properly seated in the basket receptacle area.

Application No. 10/597,456 Page 3 of 16

- 7. (Original) The improved pharmaceutical container of claim 1 or 2, further comprising two stoppers which form tight seals with and prevent leakage from an open top end and an open bottom end of the column, wherein said stoppers are made of a material which is resistant to radiation, optionally further comprising a packing material which optionally contains a pharmaceutical agent.
- 8. (Currently Amended) The improved pharmaceutical container of claim [[7]] 1, further comprising two stoppers which form tight seals with and prevent leakage from an open top end and an open bottom end of the column, the stoppers being made of a material which is resistant to radiation; and, optionally further comprising a packing material which optionally contains a pharmaceutical agent; wherein the bottom stopper takes up substantially all of the space at the open bottom end of the column, without blocking the outlet arm, so as to reduce the amount of the dead volume at the bottom of the column.
- 9. (Currently Amended) The improved pharmaceutical container of claim [[7]] 1, 2 or 8, further comprising two stoppers which form tight seals with and prevent leakage from an open top end and an open bottom end of the column, the stoppers being made of a material which is resistant to radiation; and, optionally further comprising a packing material which optionally contains a pharmaceutical agent; wherein said stoppers are made of a material selected from the group consisting of isoprene/chlorobutyl, bromobutyl and FM 140/0.
- 10. (Currently Amended) The improved pharmaceutical container of claim [[7]] 1, 2 or 8, further comprising two stoppers which form tight seals with and prevent leakage from an open top end and an open bottom end of the column, the stoppers being made of a material which is resistant to radiation; and, optionally further comprising a packing material which optionally contains a pharmaceutical agent; wherein said stoppers are made of isoprene/chlorobutyl.

Application No. 10/597,456 Page 4 of 16

- 11. (Currently Amended) The improved pharmaceutical container of claim [[7]] 1, 2 or 8, further comprising two stoppers which form tight seals with and prevent leakage from an open top end and an open bottom end of the column, the stoppers being made of a material which is resistant to radiation; and, optionally further comprising a packing material which optionally contains a pharmaceutical agent; wherein each of said stoppers comprises a top cylindrical portion and a bottom cylindrical portion, said bottom cylindrical portion having a diameter sufficient to insure a tight seal between the stopper and the cylinder interface, and said top cylindrical portion having a diameter greater than the bottom cylindrical portion.
- 12. (Original) The improved pharmaceutical container of claim 11, wherein the bottom cylindrical portion contains a U-shaped channel at its base.
- 13. (Original) The improved pharmaceutical container of claim 12, wherein the top cylindrical portion has indicia disposed on its surface, said indicia disposed so that it indicates the direction of the open end of the U-shaped channel.
- 14. (Currently Amended) The improved pharmaceutical container of claim <u>7</u> 8 or 12, further comprising a centrally located indentation at a top end of each of the stoppers stopper.
- 15. (Currently Amended) The improved pharmaceutical container of claim 7 8 or 12, wherein the stoppers are held in place by crimping a crimp seal around the stoppers to affix them to the container.
- 16. (Original) The improved pharmaceutical container of claim 15, wherein the crimping is performed with an automatic or semi-automatic crimper.
- 17. (Currently Amended) The improved pharmaceutical container of claim 15 or 16, wherein the automatic crimper is a pneumatic crimper.

- 18. (Currently Amended) The improved pharmaceutical container of claim 15 or 16, wherein the crimp seal is crimped at a pressure of about 60-140 psi.
- 19. (Currently Amended) The improved pharmaceutical container of claim 15 or 16, wherein the crimp seal is constructed of a material which is resistant to radiation.
- 20. (Currently Amended) The improved pharmaceutical container of claim 15 or 16, wherein the crimp seal is constructed of a material selected from the group consisting of aluminum, steel and tin.
- 21. (Currently Amended) The improved pharmaceutical container of claim 15 or 16, wherein the crimped stopper is able to withstand a pressure of between 90 psi and 200 psi inside the sealed container.
- 22. (Currently Amended) The improved pharmaceutical container of claim 15 or 16, wherein the crimp seal is made of aluminum and comprises a top crimp member and a bottom washer.
- 23. (Currently Amended) The improved pharmaceutical container of claim 15 or 16, wherein the crimp seal is made of steel and comprises a single crimp seal member.
- 24. (Original) The improved pharmaceutical container of claim 22, wherein the top crimp member comprises a generally circular surface with a central hole and a skirt, and the bottom washer comprises a generally circular surface with a central hole.
- 25. (Original) The improved pharmaceutical container of claim 23, wherein the crimp seal member comprises a generally circular surface with a central hole and a skirt.

Page 6 of 16

26. (Currently Amended) The improved pharmaceutical container of claim 22 or 24, wherein

the top crimp member further comprises an insert, said insert being seated in or under the central

hole, and further wherein said insert contains a central hole whose diameter is less than the

diameter of the central hole in the top crimp member.

27. (Currently Amended) The improved pharmaceutical container of claim 15 or 25, wherein

said crimp seal comprises a single crimp seal member made of steel with a generally circular

surface having a diameter of about 20.75 mm \pm 0.25 mm and a skirt with a height of about

 $7.00 \text{ mm} \pm 0.25 \text{ mm}$, and wherein said generally circular surface has a central hole with a

diameter of about 5.00 mm \pm 0.25 mm.

28. (Currently Amended) The improved pharmaceutical container of claim 15 or 25, further

comprising a removable cover which covers the central hole in the top crimp member.

29. (Original) The improved pharmaceutical container of claim 1, for generating rubidium-82.

30. (Original) The improved pharmaceutical container of claim 1, further comprising a first

connector tube which attaches to the inlet arm via a Luer lock, and a second connector tube

which attaches to the outlet arm via a Luer lock, wherein a portion of each Luer lock is affixed to

each of the connector tubes and another portion of the Luer locks is affixed to each of the inlet

arm and outlet arm.

31. (Original) The improved pharmaceutical container of claim 30, wherein the connector tubes

and the Luer lock portions attached to the connector tubes are made of materials which are

resistant to radiation.

32. (Original) The improved pharmaceutical container of claim 30 or 31, wherein the connector

tubes are made of a flexible, radiation resistant polyvinyl chloride and the Luer lock portions

attached to the connector tubes are made of a rigid, radiation resistant polyvinyl chloride.

33. (Original) The improved pharmaceutical container of claim 30 or 31, wherein the connector

tubes are made of PVC 2232 A/R-78S clear 030X and the Luer lock portions attached to the

connector tubes are made of PVC 2212 RHT/1-118 clear 080X.

34. (withdrawn) An improved Luer lock comprising a female Luer cap and a male Luer cap,

wherein one of said Luer caps contains a flange and the other of said Luer caps contains threads,

configured so that the flange and threads cooperate with each other in such a way that the female

Luer cap and male Luer cap can be screwed together, wherein the improvement comprises

providing for one or a plurality of tabs on each of the male and female Luer caps, wherein the

tabs on the male Luer cap and the tabs on the female Luer cap achieve a desired configuration

with respect to each other when the tightening of the two Luer caps together is complete.

35. (withdrawn) The improved Luer lock of claim 34, wherein the male and female Luer caps

each contain two tabs.

36. (withdrawn) The improved Luer lock of claim 34 or 35, wherein the desired configuration is

where the respective tabs on the male Luer cap and the female Luer cap line up with each other.

37. (withdrawn) The improved Luer lock of claim 34 or 35, wherein the desired configuration is

where the respective tabs on the male Luer cap and the female Luer cap overlap with each other,

thus preventing overtightening or loosening of the Luer lock.

38. (Original) The improved pharmaceutical container of claim 1, which is shipped or packed in

with an absorbent material.

39. (Original) The improved pharmaceutical container of claim 38, wherein the absorbent

material is GP-100.

40. (withdrawn) An improved rubiduim -82 generator comprising:

a. a hollow column with a top portion, a middle portion and a bottom portion,

said top portion including one or more notches, and a screen separating the middle

portion and the bottom portion;

b. a top basket with one or more protrusions, said one or more protrusions

configured to cooperate with the one or more notches in the top portion of the

hollow column so as to cause the proper seating of the top basket in the top

portion of the hollow column, said top basket further comprising a screen at its

base and a side opening;

c. an inlet arm which intersects the hollow column at its top portion at a point

where the inlet arm is aligned with the side opening in the top basket, and further

wherein the inlet arm has a female Luer cap at its distal end, said female Luer cap

containing one or more tabs on its outer surface;

d. an outlet arm which intersects but does not protrude into the hollow column at

its bottom portion, wherein a notch is provided at the point of intersection on the

bottom portion's inner surface, and further wherein the outlet arm has a female

Luer cap at its distal end, said female Luer cap containing one or more tabs on its

outer surface;

e. support means to support the inlet arm and the outlet arm to the hollow column

wherein said hollow column, top basket, inlet arm, outlet arm and support means are constructed

of a radiation resistant polypropylene;

f. a packing material comprising stannic oxide with strontium-82 adhered to

it, said packing material placed in the middle portion of the hollow column above the bottom

screen and below the screen of the top basket;

- g. a top stopper comprising a radiation resistant material, said top stopper configured to form a tight seal with the top portion of the hollow column but which does not block the inlet arm;
- h. a bottom stopper comprising a radiation resistant material, said bottom stopper configured to form a tight seal with the bottom portion of the hollow column and minimizing the dead space in the bottom portion of the hollow column, without blocking the outlet arm;
- i. first a crimp seal to crimp the top stopper to the top portion of the hollow column and a second crimp seal to crimp the bottom stopper to the bottom portion of the hollow column, wherein each crimp seal comprises steel with a thickness of about 0.2mm and a central hole about 5.0mm in diameter, wherein each crimp seal is crimped to a pressure of about 117 psi;
- j. a first flexible tube comprising a flexible, radiation resistant polyvinyl chloride with a first male Luer cap comprising a rigid, radiation resistant polyvinyl chloride at one end of said first flexible tube, said first male Luer cap being configured to cooperate with the female Luer cap at the distal end of the inlet arm so that the two Luer caps can be screwed together to form a tight Luer lock, and wherein said first male Luer cap contains one or more tabs on its outer surface which will align with the one or more tabs on the outer surface of the female Luer cap at the distal end of the inlet arm, such that when the two Luer caps are screwed together these tabs achieve a desired configuration with respect to each other when the tightening of the Luer caps is complete; and
- k. a second flexible tube comprising a flexible, radiation resistant polyvinyl chloride with a second male Luer cap comprising a rigid, radiation resistant polyvinyl chloride at one end of said second flexible tube, said second male Luer cap being configured to cooperate with the female Luer cap at the distal end of the outlet arm so that the two of them can be screwed together to form a tight Luer lock, and wherein said second male Luer cap contains one or more tabs which will align with the one or more tabs on the female Luer cap at the distal end of the outlet arm, such that when the two Luer caps are screwed together these tabs achieve a desired configuration with respect to each other when the tightening of the Luer caps is complete.

41. (withdrawn) An improved rubidium-82 generator comprising:

a. a hollow column with a top portion, a middle portion and a bottom portion,

said top portion including one or more notches, and a screen separating the middle

portion and the bottom portion;

b. a top basket with one or more protrusions, said one or more protrusions

configured to cooperate with the one or more notches in the top portion of the

hollow column so as to cause the proper seating of the top basket in the top

portion of the hollow column, said top basket further comprising a screen at its

base and a side opening;

c. an inlet arm which intersects the hollow column at its top portion at a point

where the inlet arm is aligned with the side opening in the top basket, and further

wherein the inlet arm has a female Luer cap at its distal end, said female Luer cap

containing one or more tabs on its outer surface;

d. an outlet arm which intersects but does not protrude into the hollow column at

its bottom portion, wherein a notch is provided at the point of intersection on the

bottom portion's inner surface, and further wherein the outlet arm has a female

Luer cap at its distal end, said female Luer cap containing one or more tabs on its

outer surface;

e. support means to support the inlet arm and the outlet arm to the hollow column

wherein said hollow column, top basket, inlet arm, outlet arm and support means are constructed

of a radiation resistant polypropylene;

f. a packing material comprising stannic oxide with strontium-82 adhered to it,

said packing material placed in the middle portion of the hollow column above

the bottom screen and below the screen of the top basket;

g. a top stopper comprising a radiation resistant material, said top stopper

configured to form a tight seal with the top portion of the hollow column but

which does not block the inlet arm;

h. a bottom stopper comprising a radiation resistant material, said bottom stopper

configured to form a tight seal with the bottom portion of the hollow column and

minimizing the dead space in the bottom portion of the hollow column, without

blocking the outlet arm;

i. first a crimp seal to crimp the top stopper to the top portion of the hollow

column and a second crimp seal to crimp the bottom stopper to the bottom portion

of the hollow column, wherein each crimp seal comprises steel with a thickness of

about 0.2mm and a central hole about 5.0mm in diameter, wherein each crimp

seal is crimped to a pressure of about 117 psi;

j. a first flexible tube comprising a flexible, radiation resistant polyvinyl chloride

with a first male Luer cap comprising a rigid, radiation resistant polyvinyl

chloride at one end of said first flexible tube, said first male Luer cap being

configured to cooperate with the female Luer cap at the distal end of the inlet arm

so that the two Luer caps can be screwed together to form a tight Luer lock and

where said first male Luer cap contains one or more tabs on its outer surface

which will overlap with the one or more tabs on the outer surface of the female

Luer cap at the distal end of the inlet arm, such that when the two Luer caps are

screwed together these tabs overlap and are pushed past each other, and a tight

Luer lock which is resistant to inadvertent loosening is formed; and

k. a second flexible tube comprising a flexible, radiation resistant polyvinyl chloride with a second male Luer cap comprising a rigid, radiation resistant polyvinyl chloride at one end of said second flexible tube, said second male Luer cap being configured to cooperate with the female Luer cap at the distal end of the outlet arm so that the two of them can be screwed together to form a tight Luer lock, and wherein said second male Luer cap contains one or more tabs which will overlap with the one or more tabs on the female Luer cap at the distal end of the outlet arm, such that when the two Luer caps are screwed together these tabs overlap and are pushed past each other, and a tight Luer lock which is resistant to inadvertent loosening is formed.

- 42. (withdrawn) An improved rubidium-82 generator system comprising:
 - a. a rubidium-82 generator surrounded by a generator shield;
- b. a saline supply connected to an inlet arm of the rubidium-82 generator by one or more saline supply tubes connected to each other in series, said saline supply tubes being connected to each other and to the inlet arm of the rubidium-82, generator by connecting means;
- c. one or more outflow tubes connected in series and connected to each other and to an outflow arm of the rubidium-82 generator via connecting means;
- d. a divergence means at a terminal end of the outflow tubes, the divergence means being connected to a patient tube and a waste tube such that a liquid flowing through the divergence means can be diverted to the patient tube or the waste tube; and
- e. a waste bottle surrounded by a waste bottle shield, wherein the waste bottle is connected to the waste tube via a connecting means; wherein the improvements comprise:
- f. support means to support the inlet arm and the outlet arm of the rubidium-82 generator; and
- g. configuring the outlet arm so that it does not protrude into a hollow interior portion of the rubidium-82 generator.
- 43. (withdrawn) The improved rubidium-82 generator of claim 42, further providing for one or more additional tubes connected to each other in series and connected between the divergence means and the patient tube by connecting means, to provide for a desired distance from the rubidium-82 generator to a patient.
- 44. (withdrawn) The improved rubidium-82 generator of claims 42 or 43, wherein one or more of the connecting means is a luer connector.

45. (withdrawn) The improved rubidium-82 generator of claim 44, wherein the luer connector

comprises a female luer cap and a male luer cap, wherein one of said luer caps contains a flange

and the other of said luer caps contains threads, configured so that the flange and threads

cooperate with each other in such a way that the female luer cap and male luer cap can be

screwed together, and further providing for one or a plurality of tabs on each of the male and

female luer caps, wherein the tabs on the male luer cap and the tabs on the female luer cap

achieve a desired configuration with respect to each other when the tightening of the two luer

caps together is complete.

46. (withdrawn) The improved rubidium-82 generator of claim 45, wherein the male and female

luer caps each contain two tabs.

47. (withdrawn) The improved rubidium-82 generator of claims 45 or 46, wherein the desired

configuration is where the respective tabs on the male luer cap and the female luer cap line up

with each other.

48. (withdrawn) The improved rubidium-82 generator of claims 45 or 46, wherein the desired

configuration is where the respective tabs on the male luer caps and the female luer cap overlap

with each other, thus preventing over tightening or inadvertent loosening of the luer lock.

49. (withdrawn) The improved rubidium-82 generator of claim 42 or 43, wherein the rubidium-

82 generator, tubes, connecting means, divergence means and waste bottle are all constructed of

radiation resistant materials.

50. (withdrawn) The improved rubidium-82 generator of claim 42, wherein the patient tube

terminates in a check valve to prevent air from entering the patient tube when the patient tube is

disconnected from the patient.

51. (withdrawn) The improved rubidium-82 generator of claim 50, wherein the check valve is

constructed of radiation resistant materials.

Application No. 10/597,456 Page 15 of 16

- 52. (withdrawn) The improved rubidium-82 generator of claim 50, wherein the patient tube includes a sterile filter and the check valve is attached before the sterile filter.
- 53. (withdrawn) The improved rubidium-82 generator of claim 50, wherein the patient tube includes a sterile filter and the check valve is attached after the sterile filter.